

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	4	((("5773771") or ("6164418")),PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/26 11:43
S1	28	(187/366).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:23
S2	172	(187/375).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/24 14:53
S3	341	(187/272).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/24 14:53
S4	111	(187/369).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:35
S5	12	((("4083432") or ("3441407") or ("1678031") or ("4565264") or ("2274000") or ("6619435")),PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:27
S6	91	(187/376).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:29
S8	28	S6 and governor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 06:29
S9	9	("0467591"   "0979491"   "1178942"   "3249179").PN. OR ("3768597").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 06:33
S10	537	hydraulic and elevator and safety and clamp	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 06:33
S11	12	(hydraulic near elevator) and (safety same clamp)	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 06:33
S12	106	(187/360).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 06:35

S13	842	hole and (adjustable near beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 08:13
S15	192	hole same (adjustable near beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:31
S18	106	(187/360).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 11:38
S20	341	(187/272).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/25 11:39
S21	4	(u adj bolt) and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 11:40
S23	70	(u adj bolt) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 11:41
S24	6366	telescopic same beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:34
S25	83	S24 and (plurality near hole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 14:34
S26	71	S24 and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:14
S27	4	(telescopic adj beam) and "187"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:16

S28	3	(adjustable adj beam) and "187"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:17
S29	2273	beam near (end adj portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:17
S30	16	(beam near (end adj portion)) and "187"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/25 15:17
S31	20	("0699375"   "1967230"   "3124223"   "3196996"   "3247639"   "3325957"   "3680711"   "3845842"   "3851736"   "4198421"   "4664230"   "4770044"):PN. OR ("5035300").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/25 15:21